

REPORT DOCUMENTATION PAGE					Form Approved OMB No. 0704-0188	
<p>The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</p> <p>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.</p>						
1. REPORT DATE (DD-MM-YYYY) 29 September 2006		2. REPORT TYPE FINAL TECHNICAL REPORT		3. DATES COVERED (From - To) February 23, 2004 - January 22, 2006		
4. TITLE AND SUBTITLE NOISE IMPACTS ON PINNIPED HEARING				5a. CONTRACT NUMBER		
				5b. GRANT NUMBER N00014-04-1-0284		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S) KASTAK, DAVID REICHMUTH KASTAK, COLLEEN				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) INSTITUTE OF MARINE SCIENCES UNIVERSITY OF CALIFORNIA SANTA CRUZ 1156 HIGH STREET SANTA CRUZ, CA 95064				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) OFFICE OF NAVAL RESEARCH 875 NORTH RANDOLPH STREET SUITE 1425 ARLINGTON, VA 22203-1995				10. SPONSOR/MONITOR'S ACRONYM(S) ONR		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT DISTRIBUTION UNLIMITED						
13. SUPPLEMENTARY NOTES						
14. ABSTRACT <p>The National Research Council, in a series of recent reports on marine mammals and anthropogenic noise, has identified the need to develop and test predictive models of acoustic conditions that would harm marine mammals. The primary aim of the current study was to assess the effects of intense, octave bands of noise on auditory sensitivity in three pinniped species. Specifically, temporary threshold shifts ranging up to 30 dB were induced in trained subjects in order to evaluate the relative effects of noise level and duration. Results showed that TTS onset occurred when noise levels exceeded hearing threshold by 80 dB for 12 minutes or more, irrespective of whether noise exposure occurred in air or under water. This corresponds to exposure levels of about 150-160 dB SEL in air and 183-207 dB SEL under water. Growth of TTS followed a modified exponential model rather than a simple equal energy trading model. Complementary field studies at harbor seal and northern elephant seal breeding areas characterized ambient noise environments and examined whether call features varied as a function of background noise levels.</p>						
15. SUBJECT TERMS HEARING, HEARING LOSS, TEMPORARY THRESHOLD SHIFT, NOISE IMPACTS, PINNIPED, SEA LION, SEAL						
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT	b. ABSTRACT	c. THIS PAGE			COLLEEN REICHMUTH KASTAK	
NONE	NONE	NONE	NA	3	19b. TELEPHONE NUMBER (Include area code) 831-459-3345	

FINAL REPORT

GRANT #: N00014-04-1-0284

PRINCIPAL INVESTIGATOR: David A. Kastak, Ph.D.

INSTITUTION: University of California Santa Cruz

GRANT TITLE: Noise Impacts on Pinniped Hearing

OBJECTIVE: To determine whether aerial noise can have a detrimental impact on hearing in three species of pinniped (California sea lion, northern elephant seal, Pacific harbor seal); to measure the degree of noise-induced temporary threshold shift (TTS) caused by different combinations of noise level and duration; to measure variations in naturally-occurring ambient noise and assess its effects on the vocal behavior of free-ranging animals.

APPROACH: Auditory thresholds were estimated using psychophysical procedures in three captive pinniped subjects. The subjects were then exposed to an octave band of Gaussian white noise. The noise levels ranged from 65 to 128 dB above the subjects' baseline thresholds (sensation level), and from 1.5 to 50 min in duration. Following the exposure condition, the subjects were tested again in order to assess the degree of threshold shifts induced by the noise. If thresholds did not return to baseline levels within one day, noise exposure was discontinued until hearing returned to normal levels. Field studies using recording and playback techniques examined the effects of ambient noise on elephant seal vocal behavior at Año Nuevo Reserve.

ACCOMPLISHMENTS: A total of 192 noise exposure and 28 control series were completed for each subject. In all species, TTS was related to the sensation level (SL) and the duration of the fatiguing stimulus. At noise levels below 65dB SL and exposure durations below 1.5 minutes, no threshold shifts could be induced in any of the subjects. At exposure levels above about 80dB SL, and 22 min, all subjects showed some degree of TTS, which increased with both level and duration of the exposure. All thresholds recovered with time, with the longest recovery periods corresponding to the highest sound exposure levels. Relationships between sound exposure level (SEL, in dB // (20uPa)²-s) and TTS were determined for the three pinnipeds involved in the study. The most pronounced relationship between SEL and TTS occurred in the California sea lion, in which threshold shifts of up to 30 dB were induced.

In the field, ambient noise levels were determined over a range of time periods and the associated source levels of vocalizations emitted by adult male, adult female, and juvenile northern elephant seals were measured. Results indicate a wide range in signal strength, particularly for adult males whose vocalization source levels appear to be correlated with dominance rank and related to ambient noise conditions.

CONCLUSIONS: From the laboratory work, we concluded that estimated TTS onset was about 150 dB SEL for the harbor seal and the elephant seal, and 159 dB for the sea lion. In all cases, the relationship between threshold shift and sound exposure level was curvilinear, with

20061010155

increasing slope corresponding to increasing exposure levels. Estimated growth of TTS at higher exposure levels was between 1 and 2 dB TTS/dB noise in the seals and about 2.5 dB/dB in the sea lion. Shifts of over 20 dB occurred only in the sea lion. Recovery occurred at a maximum of three days post-exposure.

The specific findings are as follows:

1. There is a curvilinear rather than a linear relationship between the degree of the fatiguing noise and hearing loss; threshold shifts increased more rapidly as the noise levels increase.
2. The pinnipeds are subject to TTS in air, as they are under water. Stimuli of equivalent sensation levels appear to cause equivalent threshold shifts regardless of medium.
3. Patterns of growth of TTS with increasing sound energy in the pinnipeds resemble those of terrestrial mammals.
4. The equal energy trading rule held for exposures that were closely spaced in duration and level but broke down when the exposures were widely spaced (e.g., 104 dB at 12.5 min and 101 dB at 50 min generated very different mean threshold shifts).
5. Recoverable thresholds of up to 30 dB can be induced in pinnipeds; however, recovery time is often on the order of days rather than minutes, suggesting that even relatively low levels of noise with long enough exposure durations can have long lasting and biologically significant impacts on these animals, which raise their young on land and forage in the water.
6. The phocid seals, particularly the harbor seal, appear to have developed a certain degree of voluntary protection from the effects of airborne noise. The mechanisms have not been elucidated.
7. Complementary studies of aerial sound localization show that the effects of simultaneous noise on signal detection in psychophysical tasks vary with the relative position of signal and noise in pinnipeds.
8. Field measurements show that adult male elephant seal vocalizations have specific beam patterns with the lowest frequencies propagating the best in all directions and the higher frequencies propagating best directly in front of the animal.
9. Juvenile male and adult female elephant seals do not appear to alter the level of their vocalizations as a function of increasing ambient noise, but variations in the source levels of adult male vocalizations may be attributed to dominance rank and ambient noise.

SIGNIFICANCE: The data obtained in these experiments will aid in the determination of acceptable limits of anthropogenic noise exposure for marine mammals in coastal habitats. The hearing model predicting TTS onset and growth significantly adds to existing mammalian databases of noise induced hearing loss, and will be useful in predicting potential noise impacts on pinniped hearing.

PATENT INFORMATION: Not applicable.

AWARD INFORMATION: Not applicable.

PUBLICATIONS AND ABSTRACTS:

Kastak, D. Holt, M.M., Mulsow, J. Southall, B.L., Reichmuth Kastak, C., Schusterman, R.J. (submitted) Onset, growth and recovery of in-air threshold shift in a California sea lion (*Zalophus californianus*). Journal of the Acoustical Society of America.

Southall, B.L., Kastak, D., Reichmuth Kastak, C., Insley, S.J., Holt, M.M., Mulsow, J., and Schusterman, R.J. (2006) Sound production and detection by pinnipeds. Journal of the Acoustical Society of America, 119:3406.

Holt, M. and Schusterman, R.J. (2006) Spatial release from aerial masking in harbor seal. Journal of the Acoustical Society of America, 119:3349.

Kastak, D., Holt, M.M., Reichmuth Kastak, C.J., Southall, B.L., Mulsow, J., Schusterman, R.J. (2005) A voluntary mechanism of protection from airborne noise in a harbor seal. The 16th Biennial Conference on the Biology of Marine Mammals. San Diego, California. p. 148.

Schusterman, R.J., Reichmuth Kastak, C., Quihuis, D., Holt, M.M. (2005) Contingency learning in animal sound production: vocal control and plasticity in the walrus. The 16th Biennial Conference on the Biology of Marine Mammals. San Diego, California. p. 252.

Lindemann, K.L., Reichmuth Kastak, C., Schusterman, R.J. (2005) A California sea lion (*Zalophus californianus*) uses a transitive logic rule across sensory modalities to solve novel transfer problems. The 16th Biennial Conference on the Biology of Marine Mammals. San Diego, California. p. 169.

Insley, S.J. and Southall, B.L. (2005) Source levels of northern elephant seal vocalizations in air. Journal of the Acoustical Society of America 118:2018.

Holt, M. M., Insley, S. J., Southall, B. L. and Schusterman, R. J. (2005) Methodological considerations of acoustic playbacks to test the behavioral significance of call directionality in male northern elephant seals (*Mirounga angustirostris*). Journal of the Acoustical Society of America 118:1907.

Lindemann, K.L., Reichmuth Kastak, C., and Schusterman, R.J. (2005) Classification across the senses: Auditory-visual cognitive performance in a California sea lion (*Zalophus californianus*). Journal of the Acoustical Society of America 118:1905.

Atwood, E.C., Reichmuth Kastak, C. & Schusterman, R. (2005) Breeding behavior and evidence of laterality in male harbor seals (*Phoca vitulina*). 42nd Annual Meeting of the Animal Behavior Society. 6 August -10 August. Snowbird, Utah. p. 5.

Holt, M.M., Southall, B.L., Kastak, D., and Schusterman, R.J. (2005) Minimum audible angles for aerial pure tones in a northern elephant

seal, *Mirounga angustirostris*. *Journal of Acoustical Society of America* 117: 2468.

Kastak, D., Schusterman, R.J., Southall, B.L., Holt, M.M., and Kastak, C. (2005) Animal behavioral psychoacoustics: Issues related to methodology and interpretation. *Journal of Acoustical Society of America* 117: 2583.

Holt, M.M., Schusterman, R.J., Kastak D., and Southall B.L. (2005) Localization of aerial pure tones in pinnipeds. *Journal of the Acoustical Society of America*. 118: 3921-3926.

Southall, B.L., Schusterman, R.J., Kastak, D., Reichmuth Kastak, C. (2005) Reliability of underwater hearing thresholds in pinnipeds. *Journal of the Acoustical Society of America*, 6:243-249.

Kastak, D., Southall, B.L., Schusterman, R.J., and Reichmuth Kastak, C. (2005) Underwater temporary threshold shift in pinnipeds: Effects of noise level and duration. *Journal of the Acoustical Society of America*. 118: 3154

Holt, M.M., Southall, B.L., Kastak, D., Schusterman, R.J., and Reichmuth Kastak, C. (2004) Temporal integration in a California sea lion and a harbor seal: Estimates of aerial auditory sensitivity as a function of signal duration. *Journal of Acoustical Society of America* 116: 2531.

Kastak, D., Southall, B.L., Holt, M.M., Reichmuth Kastak, C., and Schusterman, R.J. (2004) Noise-induced temporary threshold shifts in pinnipeds: Effects of noise energy. *Journal of the Acoustical Society of America* 116: 2531-2532.

Kastak, D., Southall, B.L., Holt, M.M., Reichmuth Kastak, C., and Schusterman, R.J. (2004) Noise-induced temporary threshold shifts in pinnipeds: Effects of noise energy. *Journal of the Acoustical Society of America* 116: 2531-2532.

Reichmuth Kastak, C., Lindemann, K., and Schusterman, R.J. (2004) How acoustical signals become meaningful to listeners: An experimental approach. *Journal of the Acoustical Society of America* 116: 2502.

Southall, B.L., Schusterman, R.J., Kastak, D., and Reichmuth Kastak, C. (2004) Underwater hearing thresholds in pinnipeds measured over a 6-year period. *Journal of the Acoustical Society of America* 116: 2504.

Holt, M.M., Southall, B.L., R.J. (2004) Threat vocalizations of male northern elephant seals: responses to call direction. 41st Annual meeting of the Animal behavior Society. 12 June-16 June. Oaxaca, Mexico. p. 52.

Reichmuth Kastak, C. (2004) Marine mammal groups: typical hearing capabilities. Abstract presented 18-19 May, Shipping Noise and Marine Mammals: A Forum for Science, Management, and Technology, Arlington, VA.

Lindemann, K., Reichmuth Kastak, C., and Schusterman, R.J. (2004) Cross-modal equivalence in a California sea lion. Abstract presented

24-27 March, Proceedings of the International Conference on Comparative Cognition, Melbourne, FL, p. 8.

Schusterman, R.J., Kastak, D., Reichmuth Kastak, C. Holt, M.M., and Southall, B.L. (2004) Pinniped bioacoustics: atmospheric and hydrospheric signal production, reception, and function. Abstract presented May 2004, Journal of the Acoustical Society of America, 115:2405.

Reichmuth Kastak, C., Kastak, D., Holt, M.M., Schusterman, R.J. and Southall, B.L. (2004) Aerial hearing sensitivity in some pinnipeds is comparable to that of humans. Abstract presented May 2004, Journal of the Acoustical Society of America, 115:2406.

Reichmuth Kastak, C., Kastak, D., Holt, M.M., Schusterman, R.J. and Southall, B.L. (2004) Aerial hearing sensitivity in some pinnipeds is comparable to that of humans. Abstract presented May 2004, Journal of the Acoustical Society of America, 115:2406.

Holt, M.M., Schusterman, R.J., Southall, B.L. and Kastak, D. (2004) Localization of airborne pure tones by pinnipeds. Abstract presented May 2004, Journal of the Acoustical Society of America, 115:2486.

Holt, M.M., Schusterman, R.J., Southall, B.L., and Kastak, D. (2004) Localization of aerial broadband noise by pinnipeds. Journal of the Acoustical Society of America, 115:2339-2345.

Schusterman, R.J., Kastak, D., Levenson, D.H., Reichmuth, C.J., and Southall, B.L. (2004) Pinniped sensory systems and the echolocation issue in the year 2000. In: Echolocation in Bats and Dolphins, J.A. Thomas, C. Moss, M. Vater (Eds), University of Chicago Press, 531-535.